



**ALLTEQ INDUSTRIES**  
**INDEXER AND MAGAZINE CAPABILITIES for L1520e**

Note: All Specifications For Machines Shipped 01/01/99 or Later




**L1520e X-Y-Z TRAVEL LIMITS:**

X-TRAVEL = 1.40"  
Y-TRAVEL = 2.40"  
Z-TRAVEL = 1.10"


**ALLTEQ INDUSTRIES**  
**INDEXER AND MAGAZINE CAPABILITIES for LFI3020**

Note: All Specifications For Machines Shipped 01/01/99 or Later



STANDARD INDEXER = 12.00" w/o OFFSET INSPECTION POINT

OFFSET INDEXER = 9.25" w/ OFFSET INSPECTION POINT





**LFI3010 STANDARD CHESSMAN TRAVEL:**

X-TRAVEL = 1.40"

Y-TRAVEL = 3.00"

**ALLTEQ INDUSTRIES**  
**INDEXER AND MAGAZINE CAPABILITIES for LFI3060**



Note: All Specifications For Machines Shipped 01/01/99 or Later



**LFI3060 X-Y TRAVEL LIMITS:**  
X-TRAVEL = 1.40"  
Y-TRAVEL = 1.90"

**ALLTEQ INDUSTRIES**  
**INDEXER AND MAGAZINE CAPABILITIES for LFI3010**

Note: All Specifications For Machines Shipped 01/01/99 or Later



**LFI3010 STANDARD CHESSMAN TRAVEL:**

X-TRAVEL = 1.40"  
Y-TRAVEL = 1.40"

**LFI3010 EXTENDED CHESSMAN TRAVEL:**

X-TRAVEL = 1.40"  
Y-TRAVEL = 1.60"